

Docket No. AT9-99-458

CLAIMS:

What is claimed is:

- 5 1. A method for presenting content from a page in a distributed database, comprising the steps of:
receiving, at a server, a request from a client for
a page from the database, wherein the page has a
plurality of links to linked pages in the database;
10 retrieving the page; and
generating, by the server, a set of thumbnails of
the linked pages in the database.
- 15 2. The method as recited in claim 1, further comprising
the step of sending the page and the set of thumbnails to
the client.
- 20 3. The method as recited in claim 2 wherein the
thumbnails are manually fine tuned on the server prior to
the step of sending the set of thumbnails to the client.
- 25 4. The method as recited in claim 2, wherein the page
is modified by embedding the set of thumbnails into the
page prior to sending the page to the client.
5. The method as recited in claim 1, further comprising
selectively replacing the thumbnails by icons.
- 30 6. A computer program product in computer readable
media for use in a proxy server for providing content

Docket No. AT9-99-458

from the page in a distributed database, the computer program product comprising:

first instructions for receiving, at a server, a request from a client for a page from the database
5 wherein the page has a plurality of links to linked pages in the database;

second instructions for retrieving the page; and
third instructions for generating a set of thumbnails of the linked pages in the database.

10

7. The computer program product as recited in claim 6, further comprising fourth instructions for sending the page and the set of thumbnails to the client.

15 8. The computer program product as recited in claim 7 wherein the thumbnails are manually fine tuned on the server prior to sending the set of thumbnails to the client.

20 9. The computer program product as recited in claim 7, wherein the page is modified by embedding the set of thumbnails into the page prior to sending the page to the client.

25 10. The computer program product as recited in claim 6, further comprising fourth instructions for selectively replacing the thumbnails by icons.

11. A system for providing content from the page in a
30 distributed database, comprising:

Docket No. AT9-99-458

means for receiving, at a server, a request from a client for a page from the database wherein the page has a plurality of links to linked pages in the database;

means for retrieving the page; and

5 means for generating a set of thumbnails of the linked pages in the database.

12. The system as recited in claim 11, further comprising means for sending the page and the set of
10 thumbnails to the client.

13. The system as recited in claim 12 wherein the thumbnails are manually fine tuned on the server prior to sending the set of thumbnails to the client.

15

14. The system as recited in claim 12, wherein the page is modified by embedding the set of thumbnails into the page prior to sending the page to the client.

20 15. The system as recited in claim 11, further comprising means for selectively replacing the thumbnails by icons.

16. A method for providing content from the page in a
25 distributed database, comprising the steps of:

providing a page of data from the database to a client, wherein the page has a plurality of links to linked pages in the database; and

generating a set of thumbnails for the plurality of
30 links.

Docket No. AT9-99-458

17. The method as recited in claim 16, further comprising embedding the thumbnails into the page prior to providing the page to the client.

5 18. The method as recited in claim 17, further comprising manually fine tuning the thumbnails prior to embedding the thumbnails into the page.

10 19. The method as recited in claim 16, further comprising:
selectively replacing the thumbnails by icons; and
embedding the icons into the page prior to providing
the thumbnails to the client.

15 20. The method as recited in claim 19 wherein the icons are manually determined by the owner of the linked page associated with each icon.

20 21. A computer network, comprising:
a network;
a server connected to the network; and
a client connected to the network; wherein
the network provides communications between the
client and the server;
25 the server provides to the client a page of data
from a database wherein the page has a plurality of links
to linked pages in the database; and
the server generates and embeds in the page a set of
thumbnails of the linked pages in the database.

Docket No. AT9-99-458

22. The network as recited in claim 21, wherein the set of thumbnails are manually fine tuned prior to being embedded in the page.

5 23. The network as recited in claim 21, wherein the thumbnails are selectively replaced by icons and the icons embedded in the page prior to providing the page to the client.

10 24. A method of processing requests for pages on the Internet, comprising the steps of:
receiving, at a server, from a client, user criteria and a request for a page from the Internet and ;
retrieving the page and parsing the page for a set
15 of links to a set of linked web pages;
retrieving the set of linked pages;
parsing the set of linked pages for user criteria;
responsive to finding the user criteria on a linked page within the set of linked pages, modifying the page
20 to indicate the presence of the user criteria on the linked page; and
sending a modified page to the client.

25 25. The method as recited in claim 24, wherein at least two different user criteria are present and the page is modified in different manners responsive to finding the different criteria on respective linked pages.

30 26. The method as recited in claim 24, further comprising the steps of placing an indicator in page proximate to each link to an inactive site prior to

Docket No. AT9-99-458

sending the page to the client; wherein the indicator indicates that the link is inactive.

27. The method as recited in claim 24, further
5 comprising the steps of:
 parsing the linked pages for a second set of links
 to a second set of linked web pages;
 parsing the second set of linked pages for a second
 user criteria; and
10 responsive to finding the second criteria on a
linked page within the second set of linked pages,
modifying the page to indicate the presence of the second
criteria on the linked page within the second set of
linked pages.

- 15 28. The method as recited in claim 24, further
comprising the steps of generating a thumbnail of each of
the linked pages.

- 20 29. The method as recited in claim 28, further
comprising providing an indicator over a respective
thumbnail to indicate the presence of the user criteria
on a respective linked page.

- 25 30. The method as recited in claim 28, wherein the
thumbnail is modified to indicate the presence of the
criteria on a respective linked page.

- 30 31. The method as recited in claim 28, wherein the
thumbnail is modified to indicate the absence of the
criteria on a respective linked page.

Docket No. AT9-99-458

32. The method as recited in claim 28, wherein the thumbnail is replaced with a different image to indicate the presence of the criteria on a respective linked page.

5 33. The method as recited in claim 28, wherein the thumbnail is replaced with a different image.

34. The method as recited in claim 28, wherein the thumbnail is replaced with a blank image.

10

35. The method as recited in claim 28, wherein the thumbnail is presented proximate to a respective link to a linked page.